



Federal Emergency Management Agency

Washington, D.C. 20472

October 29, 2015

MR. JEFF JONES
STEIL SURVEYING
1102 W 19TH STR
CHEYENNE, WY 82001

CASE NO.: 15-08-1344A
COMMUNITY: LARAMIE COUNTY, WYOMING
(UNINCORPORATED AREAS)
COMMUNITY NO.: 560029

DEAR MR. JONES:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property described in the enclosed document is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. Other attachments specific to this request may be included as referenced in the Determination/Comment document. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Sincerely,

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration

LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator
Community Map Repository
Region



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

| COMMUNITY AND MAP PANEL INFORMATION | | LEGAL PROPERTY DESCRIPTION |
|-------------------------------------|---|--|
| COMMUNITY | LARAMIE COUNTY, WYOMING (Unincorporated Areas) | A portion of Section 24, Township 18 North, Range 62 West, 6th P.M., as described in the Warranty Deed recorded as Reception No. 652430, in Book 2423, Page 1091, in the Office of the County Clerk, Laramie County, Wyoming |
| | COMMUNITY NO.: 560029 | |
| AFFECTED MAP PANEL | NUMBER: 56021C0400F DATE: 1/17/2007 | |
| FLOODING SOURCE: HORSE CREEK | | APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 41.517, -104.248 SOURCE OF LAT & LONG: GOOGLE EARTH PRO DATUM: NAD 83 |

DETERMINATION

| LOT | BLOCK/ SECTION | SUBDIVISION | STREET | OUTCOME WHAT IS REMOVED FROM THE SFHA | FLOOD ZONE | 1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88) | LOWEST ADJACENT GRADE ELEVATION (NAVD 88) | LOWEST LOT ELEVATION (NAVD 88) |
|-----|-------------------|-------------|---------------|--|-----------------|--|---|---|
| -- | -- | -- | 5396 Road 236 | Structure (Main House) | X (unshaded) | -- | 4820.7 feet | -- |

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

DETERMINATION TABLE (CONTINUED)

PORTIONS REMAIN IN THE SFHA

ZONE A

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

LARAMIE
COUNTY

NOV -9 2015

PLANNING & DEVELOPMENT
OFFICE

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

DETERMINATION TABLE (CONTINUED)

| LOT | BLOCK/ SECTION | SUBDIVISION | STREET | OUTCOME WHAT IS REMOVED FROM THE SFHA | FLOOD ZONE | 1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88) | LOWEST ADJACENT GRADE ELEVATION (NAVD 88) | LOWEST LOT ELEVATION (NAVD 88) |
|-----|-------------------|-------------|---------------|--|-----------------|--|---|---|
| -- | -- | -- | 5396 Road 236 | Structure (Second Hse) | X (unshaded) | -- | 4819.2 feet | -- |

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 2 Properties.)

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

ZONE A (This Additional Consideration applies to the preceding 2 Properties.)

The National Flood Insurance Program map affecting this property depicts a Special Flood Hazard Area that was determined using the best flood hazard data available to FEMA, but without performing a detailed engineering analysis. The flood elevation used to make this determination is based on approximate methods and has not been formalized through the standard process for establishing base flood elevations published in the Flood Insurance Study. This flood elevation is subject to change.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration