


# Single Family Residential Uncovered Decks and Porches

## Stair & Handrail Specifications




### Stairway Notes:

1. Stairways shall be not less than 36" in width.
2. Stairway rises shall be not greater than 7 3/4".
3. Stairway treads shall have a minimum run of 10".
4. The length of Run and the height of Riser shall not vary more than 3/8" in the entire run of the stair.
5. Stairs are required to be illuminated.
6. Open risers permitted if opening is less than 4".
7. A nosing not less than 3/4" but not more than 1 1/4" shall be provided on stairways with solid risers, and less than 11".
8. Composite materials (example:Trex) may require 4 stringers


### Handrail Notes:

1. Handrails shall be continuous on at least one side of stairs with 4 or more risers.
2. Top of the handrails shall be placed not less than 34 inches nor more than 38 inches above stair nosings.
3. The handgrip portion of handrails shall be not less than 1-1/4 inches nor more than 2 1/4 inches in cross section for non circular handrails.
4. Handrails shall be placed not less than 1-1/2 inches from any wall or other surface.
5. Handrails to be returned to wall, post or safety terminal (per 311.7.7.2 IRC)

## Acceptable Handrail Details



## Unacceptable Handrails



This handout is based off of the 2012 IRC as a basic plan submittal and is not intended to cover all circumstances. Check with the Laramie County Building Department for additional requirements.

Laramie County Planning & Development Office  
 Building Division  
 (307) 633-4303  
[www.laramiecountyplanning.com](http://www.laramiecountyplanning.com)